

# REPLACEMENT PARTS GUIDE

## 1600 Turbo TerrainCut™ Wide-Area Mower

### ENGINE



#### OIL FILTER

[M806419](#)

Change Every 250 Hrs.



#### ENGINE OIL

[TY26674](#) (PLUS-50™ II 15W-40)  
(5.8 L (6.1 qt.))

Change Every 250 Hrs.



#### AIR FILTER

[AP33330](#) (PRIMARY)

[AP33331](#) (SECONDARY)

Change Every 100 hrs / Annually.



#### JOHN DEERE MULTI-PURPOSE SD POLYUREA GREASE

[TY24416](#)

#### GREASE GUN

[TY26518](#)

Change As Required.



#### FUEL FILTER

[MIU803127](#)

Change Every 500 hrs.

### TRANSMISSION



#### HYDRAULIC FILTER

[AL221066](#)

Change Every 500 hrs.



#### TRACTION BELT

[UC11980](#) (LGTH = 1136 mm, WIDTH = 11 mm)



#### HYDRAULIC OIL

[TY6354](#) (John Deere HY-GARD™ J20C)  
(13.3 L (3.5 gal.))

Change Every 500 hrs.



### ELECTRICAL



#### KEY

[AUC12681](#)



#### HEAD LIGHT BULB (12 V)

[TCA13572](#) (LOWER)

[TCA13573](#) (UPPER)



#### IGNITION SWITCH

[AUC18708](#)



#### BATTERY

[TY25221B](#) (12 V) (FOR CANADA AND USA)

[MCYP340PE](#) (12 V) (NOT FOR CANADA  
AND USA)

### FUEL & AIR



#### FILLER CAP

[TCU32534](#)

# REPLACEMENT PARTS GUIDE

## 1600 With 62 inch Rear Discharge Deck



**MOWER BLADE**

[TCU51118](#)



**V BELT**

[TCU31159](#) (LGTH = 3751 mm, TK = 19.81 mm, WIDTH = 22.3 mm)



**MULCH BLADE**

[M144935](#)



**ROLLER**

[M115245](#)

# REPLACEMENT PARTS GUIDE

## 1600 With 42 inch Rear Discharge Deck



**MOWER BLADE**


[TCU51118](#)



**V BELT**

[TCU14539](#) (LH wing Deck) (LGTH = 2600mm, TK = 13.462 mm, WIDTH = 22.352 mm)

[TCU14538](#) (RH wing Deck) (LGTH = 2780mm, TK = 13.462 mm, WIDTH = 22.352 mm)



**MULCH BLADE**

[M144935](#)