

REPLACEMENT PARTS GUIDE

6D Series Tractors iT4 (6105D, 6115D, 6130D, 6140D)

CAB

RECIRCULATION AIR FILTER

[RE198488](#)

Inspect and clean every 250 hours.
Replace every 500 hours or annually.



FRESH AIR FILTER

[RE195491](#)



HYDRAULIC

FILTER ELEMENT

[SJ11792](#)

Replace after 100 and then every 500 hours.



ENGINE

OIL FILTER

[RE504836](#)

Replace after 100 and 500 hours and then every 500 hours.
If neither John Deere PLUS-50 nor an oil meeting ACEA E5 or E4 is used, carry out this service on tractors with engine serial number from 800000 every 250 hours. Engine oil must be changed at least once a year.



ENGINE



DIESEL PARTICULATE FILTER (DPF)

[RE568454](#) (6105D, 6115D)

[RE551147](#) (6130D, 6140D)

Service every 1500 hours.



PRIMARY AIR FILTER

[RE253519](#)

Replace annually. Clean as required.

SECONDARY AIR FILTER

[SU20768](#)

Replace annually. Clean as required.



PRIMARY FUEL FILTER

[RE541922](#)

Replace after every 500 hours.



SECONDARY FUEL FILTER

[RE544394](#)

Replace after every 500 hours.



OPEN CRANKCASE VENTILATION (OCV) FILTER

[DZ105796](#)

Replace every 1500 hours.



CAPACITIES

6D Series Tractors iT4 (6105D, 6115D, 6130D, 6140D)

CAPACITIES (Approximate):

Fuel Tank:
.....158 L (41.7 gal)

Cooling System:
Cool-Gard™II Premix
6105D, 6115D.....17.7 L (4.7 gal)
6130D, 6140D.....18.7 L (4.9 gal)

Crankcase with Filter:
Plus-50™II
.....15 L (4 gal)

Transmission Case:
Hy-Gard™II
..... 58 L (15.3 gal)

MFWD Axle Housing:
GL-5
..... 5 L (1.32 gal)

MFWD Wheel Hub (Each Side):
GL-5
.....0.8 L (0.21 gal)



REPLACEMENT PARTS GUIDE

6D Series Tractors iT4 (6105D, 6115D, 6130D, 6140D)

ENGINE



BRAKE DISK

[SU34458](#) (PowerReverser™)
[AL160176](#) (MFWD)



BATTERY

[TY25879](#) (DRY CHARGED BATTERY)



ALTERNATOR

[RE544809](#) (14V)



FAN BELT DRIVE

[SU23542](#) (CAB)



CAB



SEAT

[RE251272](#) (MECHANICAL SUSPENSION, CAB)
[AL116984](#) (BACK)
[SJ292621](#) (BOTTOM)
[RE276006](#) (AIR SUSPENSION, CAB)
[SJ39280](#) (INSTRUCTIONAL SEAT, CAB)
[AL207601](#) (BACK)
[AL173179](#) (BOTTOM)

AXLE



TIE ROD

[AL204774](#)
[AL204776](#) (TIE ROD END)
[AL204777](#) (BALL JOINT)