

# REPLACEMENT PARTS GUIDE

## Z920M ZTrak™ M Series Mower

### ENGINE

#### SPARK PLUG

[M805853](#)

Change Every 1000 Hrs.

#### FUEL FILTER-IN-LINE

[UC21217](#) (USE WITH AUC18467)

[AM116304](#) (USE WITH MIA12252)

Change Every 300/600 Hrs.

#### ENGINE OIL FILTER

[AM125424](#)

Change Every 100/200/300 Hrs.

#### ENGINE OIL

[TY22029](#) (Turf Gard™ 10W30) (2.0 L (2.1 qt), WITH FILTER)

Change Every 100/200 Hrs.

#### AIR FILTER

[M131802](#) (PRIMARY)

Change every 300 Hrs.

[M131803](#) (SECONDARY)

Change every 500 Hrs.

#### JD MULTI PURPOSE HD LITHIUM COMPLEX GREASE

[TY24416](#)

Change Interval:As needed.

#### CASTER WHEEL

[TCA19309](#)

#### GREASE GUN

[TY26518](#)



### ELECTRICAL

#### HEADLIGHT

[AM125447](#) (S/N -070000)

[CXT13734](#) (S/N 070001-)

#### KEY

[TCA24616](#) (S/N - 070000)

[AUC12681](#) (S/N 070001-)

#### BRAKE SWITCH

[TCA15398](#)

#### ROTARY SWITCH

[TCA22740](#) (S/N - 030000)

[AUC18708](#) (S/N 030001 -)

#### BATTERY

[TY25221B](#) (12V) (FOR USA AND CANADA)

[MCYP340PF](#) (12V) (NOT FOR USA AND CANADA)

### FUEL AND AIR

#### FUEL TANK FILLER CAP

[TCA23672](#) (S/N - 060000)

[AUC11638](#) (S/N 060001-)

#### MUFFLER

[TCA21568](#)

### TRANSMISSION

#### TIRE REAR

[TCU13631](#) ( - 090000)

[UC23986](#) (090000 -)

#### FILTER

[MIA881446](#)

#### TRANSMISSION OIL

[TY26975](#) John Deere Hy-Gard™ (4.5 L (4.8 qt)) (WITH FILTER)

Change First 300 Hrs Every 500 Hrs.

#### TRACTION DRIVE BELT

[TCU34299](#) (LGTH = 1803.9 mm, WIDTH= 16 mm)

# REPLACEMENT PARTS GUIDE

## MOWER DECK - 48 INCH

### MOWER BLADE

[TCU30315](#) (HIGH LIFT)

[UC15159](#) (HIGH LIFT SELF SHARPENING)

[M136194](#) (STANDARD LIFT)


[TCU18678](#) (LOW LIFT)

[TCU21475](#) (MULCH ON DEMAND)

[M136185](#) (MULCH)

### V - BELT

[TCU30510](#) (LGTH = 4119 mm,  
WIDTH = 14 mm)



### WHEEL

[TCU34060](#)



### GAGE WHEELS

[UC28193](#)



### MOWER DECK LEVELLING GAUGE

[AM130907](#)

# REPLACEMENT PARTS GUIDE

## MOWER DECK - 54 INCH

### MOWER BLADE

[TCU30317](#) (HIGH LIFT)


[TCU30316](#) (STANDARD LIFT)

[M135334](#) (MULCH)

### V - BELT

[TCU30510](#) (-090000) (LGTH = 4119 mm,  
WIDTH = 14 mm)

[UC25996](#) (090001-) (LGTH = 4353 mm,  
WIDTH = 14 mm)



### WHEEL

[TCU34060](#)



### GAGE WHEELS

[UC28193](#)



### MOWER DECK LEVELLING GUAGE

[AM130907](#)

# REPLACEMENT PARTS GUIDE


## MOWER DECK - 60 INCH

### MOWER BLADE

- [TCU15881](#) (HIGH LIFT)
- [UC15158](#) (HIGH LIFT SELF SHARPENING)
- [M128485](#) (STANDARD LIFT)
- [M133381](#) (LOW LIFT)
- [M168223](#) (MULCH)

### V - BELT

- [TCU35604](#) (LGTH = 4635 MM, TK = 18 MM, WIDTH = 14 MM)



### WHEEL

[TCU34060](#)

### GAGE WHEELS

[UC28193](#)

### MOWER DECK LEVELLING GUAGE

[AM130907](#)