

REPLACEMENT PARTS GUIDE

5E Limited Series – 5083E (Mexico Edition)

CAB

FRESH AIR FILTER

[RE198488](#)- W/O AIR CONDITIONER
[SJ14288](#)- ACTIVATED CARBON AIR FILTER

Clean or replace after every 500 hours and annually.
Quantity 2



RECIRCULATION AIR FILTER

[RE195491](#)

Clean or replace after every 500 hours and annually.
Quantity 2



HYDRAULIC FILTER

[RE45864](#) (-440000)
[SJ28834](#)

Replace initially after 100 hours and every 600 hours and every 1200 hours.



ENGINE

OIL FILTER

[RE504836](#)

Replace initially after 100 hours and every 300 hours. (Can be extended to 500 Hours if John Deere Plus-50™ II oil and John Deere filter are used).



FINAL FUEL FILTER

[RE522868](#)

FUEL TANK FILTER

[AL153517](#), [AE29052](#)

Replace after every 500 hours and as required



PRIMARY AIR FILTER

[RE253518](#)

SECONDARY AIR FILTER

[RE253519](#)

Replace after every 500 hours and every 1200 hours.



CAPACITIES

5E Limited Series – 5083E (Mexico Edition)

CAPACITIES (Approximate):

Fuel Tank:

..... 126.8 L (33.5 gal)

Cooling System:

Cool-Gard™ II

..... 10.8 L (2.85 gal)

Crankcase with Filter:

Plus-50™ II

..... 13 L (3.43 gal)

Transmission and Hydraulic System:

Hy-Gard™

PowerReverser™ 43.5 L (11.5 gal)

Mechanical Front Wheel Drive (MFWD) Axle:

Hy-Gard™

Differential Housing 5 L (1.32 gal)

Wheel Hub (Each) 0.6 L (0.15 gal)



JOHN DEERE
Genuine Parts and Service

REPLACEMENT PARTS GUIDE

5E Limited Series – 5083E (Mexico Edition)

CAB

SEAT



- [MIA10599](#) (BACK)
- [MIA11383](#) (MECHANICAL AIR SUSPENSION) (CAB)
- [MIA11340](#) (SEAT)
- [SJ10084](#) (SUPER COMFORT CAB)
- [MIA10075](#) (ARMREST) (RH)
- [MIA10075](#) (ARMREST) (RH)
- [MIA10076](#) (ARMREST) (LH)

ENGINE

CLUTCH DISK



- [RE227648](#) (PTO)
- [SJ10903](#) (CLUTCH DISK)
- [SU303646](#) (PLATE)
- [R225680](#) (PLATE)
- [RE197483](#) (CLUTCH)

BATTERY



- [TY25879](#) (12 V)

BRAKE DISK



- [SJ17870](#) (BRAKE DISK)
- [L77358](#) (BRAKE ACTUATING DISK)
- [SJ13173](#) (HAND BRAKE)



ENGINE



- ALTERNATOR**
- [RE205273](#) (90 AMP) (OOS)



- FAN BELT DRIVE**
- [R270966](#) (LGTH = 1568 mm) (IOOS)
- [SU303445](#) (LGTH = 919 mm) (CAB)

AXLE



- TIE ROD**
- [RE217616](#) (ASSEMBLY) (2WD)
- [RE217819](#) (RH) (BALL JOINT)
- [RE45997](#) (LH) (BALL JOINT)
- [RE217817](#) (ENDS)
- [RE271437](#) (ASSEMBLY) (MFWD)
- [RE271441](#) (RH)
- [RE271440](#) (LH)