




# REPLACEMENT PART GUIDE

## 6068CG550 PowerTech PSS 6.8L Gen Set OEM Engine (FT4)



### DIESEL EXHAUST FLUID TANK INLET SCREEN

[DZ114695](#) (3429) (3430) (3431) (3432) (3433) (3434) (3435) (3436) (3447) (3448) (3449) (3450) (3451) (3452) (3453) (3454)

As required.



### DIESEL EXHAUST FLUID TANK HEADER SUCTION SCREEN

[DZ111004](#) (3419) (3420) (3421) (3422) (3423) (3424) (3425) (3426) (3427) (3428) (3429) (3430) (3431) (3432) (3433) (3434) (3435) (3436)

[DZ110562](#)

USE WITH [DZ113378](#) (974G)

USE WITH [DZ110563](#) (974J)

[DZ111166](#) (974C)

USE WITH [DZ113373](#) (974G)

USE WITH [DZ113377](#) (974J)

1500 hrs of operation or every 36 months.



### DIESEL EXHAUST FLUID INLINE FILTER

[DZ114640](#) (3315) (3316) (3317) (3318) (3327) (3328) (3335) (3336) (3349) (3350) (3351) (3352) (3353) (3354) (3369)

4500 hrs of operation or every 36 months.



### DIESEL EXHAUST FLUID INLINE FILTER

[DZ124402](#) (3349) (3350) (3351) (3352) (3353) (3354) (3369)

8000 hrs of operation or every 36 months.



### PRIMARY FUEL FILTERS

PRIMARY FILTER ELEMENT  
[DZ128543](#) (35E6) (35E7) (35E8) (35E9) (35LC) (35LD) (35LE) (35LF)

500 hrs of operation or every 12 months.



### SECONDARY FUEL FILTERS

[DZ115392](#) (35E6) (35E7) (35E8) (35E9) (35LC) (35LD) (35LE) (35LF)

500 hrs of operation or every 12 months.



### OIL FILTER

[RE539279](#) (5970) (5975)

500 hrs of operation or every 12 months.



### ALTERNATOR

[RE558675](#) (24V, 60 A) (31AC)

[DZ123153](#) (12V, 90 A) (31AE)



### FAN PULLEY

[R128660](#) (OD = 168 MM) (8667)

[R128662](#) (OD = 203 MM) (8668)

[R128659](#) (OD = 154 MM) (8671)

[R522890](#) (OD = 230 MM) (8673) (8699)



### FAN BELT

[DZ118786](#) (LGTH = 1715 MM) (2492) (24LN)

[DZ118556](#) (LGTH = 1660 MM) (24JG)

[T282795](#) (LGTH = 1690 MM) (24JH)

[DZ118557](#) (LGTH = 1670 MM) (24JJ)

[DZ118559](#) (LGTH = 1700 MM) (24JK) (24JV)

(24MG)

[DZ118560](#) (LGTH = 1720 MM) (24JM) (24LM)

[DZ121129](#) (LGTH = 1745 MM) (24JN)

[DZ118558](#) (LGTH = 1680 MM) (24JU)

[DZ121133](#) (LGTH = 1765 MM) (24LP)



### STARTER

[RE523501](#) (12 V) (3073)

[RE523502](#) (12 V) (3084)

[DZ110083](#) (24 V, 4 KW) (3096)

[RE549229](#) (12 V) (30AT)

[RE549230](#) (24 V) (30AU)

[RE551644](#) (24 V) (30AY)

[RE551637](#) (12 V) (30BX)

[RE552251](#) (3.5 KW, 24 V) (30CA)



### CRANKSHAFT PULLEY & DAMPER

[DZ119883](#) (OD= 350 MM) (6813)

[RE57604](#) (OD = 271 MM) (6895) (6811)

[RE508578](#) (OD = 264 MM) (1320)

[RE505939](#) (OD = 255 MM) (1321)

[RE505941](#) (OD = 188 MM) (1322)

[R545125](#) (OD = 193 MM) (1334)

[RE528428](#) (OD = 264 MM) (1340)



### CRANKCASE VENT SYSTEM

[RE553703](#) (29AE)

1500 hrs of operation.




**JOHN DEERE**  
Genuine Parts and Service




# REPLACEMENT PART GUIDE

## 6068CG550 PowerTech PSS 6.8L Gen Set OEM Engine (FT4)



**SHORT BLOCK ASSEMBLY**  
[DZ109870](#)




**COMPLETE BLOCK ASSEMBLY**  
[DZ123559](#)  
\*Includes cylinder head with vales and rocker arm assembly, balancer shafts, Includes oil pump assembly, complete gasket kit with front and rear seals.



# REMAN PARTS GUIDE

## 6068CG550 PowerTech PSS 6.8L Gen Set OEM Engine (FT4)



### STARTER

[SE502631](#) (REMAN FOR [RE523501](#)) (3073)

[SE502632](#) (REMAN FOR [RE523502](#)) (12V)  
(3084)

[SE502558](#) (REMAN FOR [RE549229](#)) (12V)  
(30AT)

[SE502823](#) (REMAN FOR [RE549230](#)) (24V)  
(30AU)

[SE502736](#) (REMAN FOR [RE551644](#))  
(24V, 7.8KW) (30AY)

[SE502733](#) (REMAN FOR [RE564633](#))  
(24V, 4KW) (3090)



### CONTROLLER

[RM100100](#) (REMAN FOR [RE548097](#)) (84KF)

[RM100131](#) (REMAN FOR [RE551059](#)) (84KD)  
(84KH)



### ALTERNATOR

[SE502560](#) (REMAN FOR [DZ123153](#))  
(14V, 90A) (31AE)

