REPLACEMENT PARTS GUIDE

X584 Lawn and Garden Tractor



OIL FILTER

AM125424

Change Every 100 hrs / Annually.



ENGINE OIL

TY22029 (Turf-Gard™ 10W-30) (2.1 L (2.2 qt)) (WITH FILTER)

Change Every 100 hrs / Annually.



AIR FILTER

MIU12554 (PRIMARY, FOAM)

MIU12555 (SECONDARY, PAPER)

Change Every 100 hrs / Annually.



JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE

TY24416



GREASE GUN

TY26518

Change As Required.



FUEL FILTER

AM116304

Change Every 100 hrs / Annually.



SPARK PLUG

M805853

Change Every 100 hrs / Annually.



TRANSAXLE FILTER

MIA881446

Change Every 200 hrs.



TRACTION BELT

TRANSAXLE OIL

M174585 (LGTH = 2467.6 mm, TK = 14.7 mm, WIDTH = 16 mm)



TY22035 (Low Viscosity Hy-Gard™)

(5.3 L (5.6 qt.))

Change Every 200 hrs.



TRACTION BELT

UC35484 (LGTH = 2334 mm, TK = 12.45 mm, WIDTH = 12.45 mm) (HYDRO **EXTENDED WHEELBASE)**







GY20680

KEY



HEAD LIGHT BULB

AD2062R (27 W)



IGNITION SWITCH

AM133597



BATTERY TY25876B (12 V) (FOR CANADA AND USA) MCYP25876 (12 V) (NOT FOR CANADA

AND USA)

FUEL & AIR



FILLER CAP

AM141406



MUFFLER

AM141137



HOME MAINTENANCE KIT

LG265 (NOT FOR EUROPE)


AUC17070 (FOR EUROPE)



CLICK PART NUMBER TO BUY

REPLACEMENT PARTS GUIDE

X584 with 48 inch Accel Deep Deck





MOWER BLADE


Every 100 hrs or Annually.

UC22009

V BELT

REPLACEMENT PARTS GUIDE

X584 with 54 inch Accel Deep Deck





CLICK PART NUMBER TO BUY

MOWER BLADE

V BELT

UC22010 (STANDARD) M152726 (HIGH LIFT)

Every 100 hrs or Annually.