

REPLACEMENT PARTS GUIDE

X590 Tractor Multi-Terrain Series

ENGINE



SPARK PLUG
[M805853](#)

Change yearly / every 100 Hrs.



OIL FILTER
[AM125424](#)

Change yearly / every 100 Hrs.



ENGINE OIL
[TY22029](#) (Turf-Gard™ 10W-30) 2.1 L (2.2 qt)

Change yearly / every 100 Hrs.



PRIMARY AIR FILTER
[MIU12554](#)



SECONDARY AIR FILTER
[MIU12555](#)

Change yearly / every 100 Hrs.



JOHN DEERE MULTI-PURPOSE HD LITHIUM COMPLEX GREASE
[TY24416](#)



GREASE GUN
[TY26518](#)

Change As Required.



FUEL FILTER
[AM116304](#)

Change yearly / every 100 Hrs.



TRANSMISSION AND HYDRAULIC OIL
[VC81817-020](#) (NOT FOR CANADA AND USA)
(Low Viscosity Hy-Gard) - 5.3L (5.6 qt)



[TY22035](#) (FOR CANADA AND USA)

Change after 200 Hrs.



HOME MAINTENANCE KIT
[AUC17070](#) (NOT FOR CANADA AND USA)
[LG265](#) (FOR CANADA AND USA)



V BELT

[M151276](#) (LGTH = 2468 mm, TK =14.7 mm,
WIDTH = 16mm) (S/N (-110000))

[M174585](#) (LGTH = 2467.7 mm, TK =14.7 mm,
WIDTH = 16mm) (S/N (110001-))



ELECTRICAL



HEAD LIGHT BULB
[AD2062R](#) (27 W)



KEY
[GY20680](#)



IGNITION SWITCH
[AM133597](#)



BATTERY
[TY25876](#) (12 V) (FOR CANADA AND USA)
[MCYP25876](#) (12 V) (NOT FOR CANADA AND USA)

FUEL & AIR



FILLER CAP
[AM141406](#)



MUFFLER
[AM141137](#)

REPLACEMENT PARTS GUIDE

X590 With 54 inch Deck (For Canada And USA)

MOWER BLADE
[UC22010](#)

V BELT
[M169485](#) (LGTH = 1900 mm, TK = 11 mm,
WIDTH = 16.6 mm, PRIMARY)
[M169486](#) (LGTH = 2810 mm, TK = 11 mm,
WIDTH = 16.6 mm, SECONDARY)

MOWER DECK LEVELLING GUAGE
[AM130907](#)



GAGE WHEELS
[M111489](#)

MULCH BLADE
[M177791](#)

REPLACEMENT PARTS GUIDE

X590 With 54 inch Deck (Not For Canada And USA)

MOWER BLADE
[UC22010](#)

V BELT
[M169485](#) (LGTH = 1900 mm, TK = 11 mm,
WIDTH = 16.6 mm, PRIMARY)
[M169486](#) (LGTH = 2810 mm, TK = 11 mm,
WIDTH = 16.6 mm, SECONDARY)



GAGE WHEELS
[M111489](#)

MOWER DECK LEVELLING GUAGE
[AM130907](#)

REPLACEMENT PARTS GUIDE

X590 With 48 inch Deck (For Canada And USA) (- 110000)

MOWER BLADE

[UC22009](#)

V BELT

[M154897](#) (LGTH = 1661.6 mm, TK = 13.7 mm,
WIDTH = 15.6 mm, PRIMARY)

[M154958](#) (LGTH = 2829 mm, TK = 14.7 mm,
WIDTH = 16 mm, SECONDARY)

MOWER DECK LEVELLING GUAGE

[AM130907](#)



GAGE WHEELS

[M111489](#)

MULCH BLADE

[UC25185](#)

REPLACEMENT PARTS GUIDE

X590 With 48 inch Accel Deep Deck (For Canada And USA) (110001 -)

MOWER BLADE
[UC22009](#)

V BELT
[M169485](#) (LGTH = 1900 mm, TK = 11 mm,
WIDTH = 16.6 mm, PRIMARY)

[M169500](#) (LGTH = 2629 mm, TK = 11 mm,
WIDTH = 16.6 mm, SECONDARY)

MOWER DECK LEVELLING GUAGE
[AM130907](#)



GAGE WHEELS
[M111489](#)

MULCH BLADE
[UC25185](#)

REPLACEMENT PARTS GUIDE

X590 With 48 inch Accel Deep Deck (Not For Canada And USA)

MOWER BLADE

[UC22009](#)

V BELT

[M169485](#) (LGTH = 1900 mm, TK = 11 mm,
WIDTH = 16.6 mm, PRIMARY)

[M169500](#) (LGTH = 2629 mm, TK = 11 mm,
WIDTH = 16.6 mm, SECONDARY)



GAGE WHEELS

[M111489](#)

MOWER DECK LEVELLING GUAGE

[AM130907](#)

REPLACEMENT PARTS GUIDE

X590 With 48X inch, Rotatable Anti-Scalp Wheels Deck

MOWER BLADE
[UC22009](#)

V BELT
[M154897](#) (LGTH = 1661.6 mm, TK = 13.7 mm,
WIDTH = 15.6 mm, PRIMARY)

[M154958](#) (LGTH = 2829 mm, TK = 14.7 mm,
WIDTH = 16 mm, SECONDARY)



GAGE WHEELS
[M111489](#)

MOWER DECK LEVELLING GUAGE
[AM130907](#)